




NTN Bearing de Mexico, S.A.



SKF SYM 2.15/16 TF bearing units

Bearing No. SYM 2.15/16 TF

SYM 2.15/16 TF Bearing 2D drawings and 3D CAD models

Bore Diameter	74,613 mm
d	74,613 mm
s1	47,7 mm
A	78 mm
A1	52 mm
B	77,9 mm
G	20 mm
H	177 mm
H1	88,9 mm
H2	47,6 mm
J	228,6 mm
L	305 mm
N	35 mm
N1	22,2 mm
Weight	10,3 Kg
Basic dynamic load rating (C)	72,8 kN
Basic static load rating (C0)	53 kN
Fatigue load limit (Pu)	2,16
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	10.329
EAN	7316571330181
Product Group	M06110
Number of Mounting Holes	2



NTN Bearing de Mexico, S.A.

Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	7/8 Inch
Relubricatable	Yes
Insert Part Number	YAR 216-215-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Medium Duty Wide Inner Race Has Flinger
Long Description	2 Bolt Pillow Block; 2-15/16" Bore; 3-1/2" Base to Center Height; Set Screw Mount; Ball Bearing; 8-1/2" Minimum Bolt Spacing; 9-1/2" Bolt Spacing Maximum; Relubricatable; Cast Iron
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	SYM 2.15/16 TF
Weight / LBS	19.5
Base to Center Height	3.5 Inch 88.9 Millimeter
Actual Bolt Center to Center	0 Inch 0 Millimeter
Nominal Bolt Center to Center	9 Inch 229 Millimeter



NTN Bearing de Mexico, S.A.

Bolt Spacing Minimum	8.5 Inch 215.9Millimeter
Bolt Spacing Maximum	9.5 Inch 241.3Millimeter
Bore	2.938 Inch 74.625 Millimeter
Length Thru Bore	3.063 Inch 77.8 Millimeter